
naughty*stringvalidatorpythonDocumentation*

Release 0.1.7

Shashi Kumar Raja

Oct 11, 2022

Contents

1	Installation	3
2	Usage	5
3	Tests	7
3.1	Contents:	7
3.2	Feedback	10

A python library that returns *naughty strings* from an offline database of [Big List of Naughty Strings](#) and emojis. The db will be continuously growing with each release.

The Big List of Naughty Strings is an evolving list of strings which have a high probability of causing issues when used as user-input data.

This library can be included in the test automation framework for API, UI, or DB testing to validate them against naughty strings.

CHAPTER 1

Installation

```
pip install naughty_string_validator
```


CHAPTER 2

Usage

```
from naughty_string_validator import *
```

- To get a random naughty string from the list

```
print(get_random_naughty_string())
```

#output

```
"<a href=\"\\xE2\\x80\\x88javascript...(1)\" id=\"fuzzelement1\">test</a>"
```

- To get entire naughty string list

```
print(get_naughty_string_list())
```

#output

```
["", "undefined", "undef", "null", "NULL", "(null)", "nil", ...]
```

- To get a random emoji from the emoji list

```
print(get_random_emoji())
```

#output

```
""
```

- To get a entire emoji list

```
print(get_emoji_list())
```

#output

```
["", "", "", "", "", "", "", "", "", "", "", ...]
```


- To run tests

```
py.test --cov=naughty_string_validator test/ --verbose
```

3.1 Contents:

3.1.1 Installation

At the command line either via `easy_install` or `pip`:

```
$ easy_install naughty_string_validator
$ pip install naughty_string_validator
```

Or, if you have `virtualenvwrapper` installed:

```
$ mkvirtualenv naughty_string_validator
$ pip install naughty_string_validator
```

3.1.2 Usage

To use `naughty_string_validator_python` in a project:

```
import naughty_string_validator
```

3.1.3 Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

You can contribute in many ways:

Types of Contributions

Report Bugs

Report bugs at https://github.com/shashikumarraja/naughty_string_validator_python/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” is open to whoever wants to implement it.

Implement Features

Look through the GitHub issues for features. Anything tagged with “feature” is open to whoever wants to implement it.

Write Documentation

naughty_string_validator_python could always use more documentation, whether as part of the official naughty_string_validator_python docs, in docstrings, or even on the web in blog posts, articles, and such.

Submit Feedback

The best way to send feedback is to file an issue at https://github.com/shashikumarraja/naughty_string_validator_python/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

Get Started!

Ready to contribute? Here’s how to set up *naughty_string_validator* for local development.

1. *Fork* the *naughty_string_validator_python* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/naughty_string_validator_python.git
```

3. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you're done making changes, check that your changes pass style and unit tests, including testing other Python versions with tox:

```
$ tox
```

To get tox, just pip install it.

5. Commit your changes and push your branch to GitHub:

```
$ git add .  
$ git commit -m "Your detailed description of your changes."  
$ git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.6, 2.7, and 3.3, and for PyPy. Check https://travis-ci.org/shashikumarraja/naughty_string_validator_python under pull requests for active pull requests or run the `tox` command and make sure that the tests pass for all supported Python versions.

Tips

To run a subset of tests:

```
$ py.test test/test_naughty_string_validator.py
```

3.1.4 Credits

Development Lead

- Shashi Kumar Raja <shashiraja92@gmail.com>

Contributors

None yet. Why not be the first?

3.1.5 History

0.1.7 (2020-05-07)

- Minor improvements in code
- Fixed bug introduced by 0.1.6 of utils not found while importing in python version 3

0.1.2 (2018-09-03)

- Removed test code from build

0.1.0 (2018-09-03)

- First release on PyPI.

3.2 Feedback

If you have any suggestions or questions about **naughty_string_validator_python** feel free to email me at shashiraja92@gmail.com.

If you encounter any errors or problems with **naughty_string_validator_python**, please let me know! Open an Issue at the GitHub https://github.com/shashikumarraja/naughty_string_validator_python main repository.